


2

1

NOTES:

- 1. BOX AND COVER CONSTRUCTION- GALV SHEET STEEL(12GA)
- 2. FINISH: POWDERCOAT GRAY ENAMEL
- 3. BUS BARS- COPPER98% CONDUCTIVITY
- 4. BOX SHALL HAVE NAME PLATE WITH MANUFACTURER'S NAME,
- 5. FRONT COVERS SHALL BE SEALABLE & LOCKABLE
- 6. LINE SIDE: PROVISION FOR UP TO (6) 600MCM/ø&±
- 7. LOADSIDE: MOUNT UP TO (6) 600MCM/ø&±
- 8. UP TO 1000A: 1 LEAF OF BUS
- 9. UP TO 2000A: 2 LEAVES OF BUS


SECTION B-B



PHASES HAVE 1/4"-20 TAPPED HOLE IN CT COMPARTMENT FOR NEUTRAL LUG




GLASTIC CT COMPARTMENT ISOLATION BARRIER

NON CONDUCTIVE CT SUPPORTING SHELF 1/4" THICK ANGLE CHANNEL



B

B



SECTION A-A

A

A

PADLOCKABLE FRENCH DOOR WITH 3 PT CATCH

	NAME	DATE
DRAWN BY	J. Pincus	7/30/2024
APPROVED BY		

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Nav-Tech Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Nav-Tech Inc. IS PROHIBITED.



155 MARCUS BLVD
 HAUPPAUGE, NEW YORK 11788
 PH: (718) 257-2111 FAX: (718) 257-2626

UNLESS OTHERWISE SPECIFIED:
 ALL DIMENSIONS ARE NOMINAL UNLESS EXPLICITLY SPECIFIED OTHERWISE

MATL: 12 GA GALV
FINISH: POWDER COAT ANSI 61 GY
WEIGHT:

UNLESS OTHERWISE SPECIFIED

- 1. REMOVE ALL BURRS AND BREAK ALL SHARP EDGES .015 X 45° OR .015R
- 2. DIMENSIONAL LIMITS APPLY AFTER PLATING

3. $\frac{125}{\sqrt{\quad}}$ MACHINED SURFACES EXCEPT AS NOTED

DRAWING TITLE: FIRST ENERGY CT-10-20

PART #: NAV-FE-CT-XX

DESCRIPTION: NEMA 1 CT CABINET 1000A-2000A

FIRST ENERGY ELECTRIC SPEC

DO NOT SCALE DRAWING	SCALE: 1:24	SIZE A	SHEET 1 OF 1	REV. 1
-----------------------------	-------------	--------	--------------	--------

2

1