



NOTES:

1. NEMA 3R PADMOUNTED CONSTRUCTION INCLUDES SHED ROOF WITH SKIRTED, GASKETED MIDDLE DOORS PADMOUNT BASE, GASKETED COVERS AND DOORS
2. BUS BARS - COPPER 98% CONDUCTIVITY
3. ENCLOSURE WILL DISPLAY MANUFACTURERS NAME
4. ALL NUTS, BOLTS AND WASHERS MUST BE 1/2-13 ZINC COATED GRADE 5 STEEL
5. MAX WIRE SIZE LINE AND LOAD SIDE: (3)600 MCM (MINIMUM WIRE SIZE:#4)
6. FRONT DOOR IS OUTFITTED WITH SEALABLE SCREWS & PADLOCKABLE PROVISIONS
7. DESIGNED FOR EITHER LINE TOP/LOAD BOTTOM CABLE ENTRY OR LOAD TOP/LINE BOTTOM CABLE ENTRY

	NAME	DATE
DRAWN BY	J. Pincus	2/9/2024
APPROVED BY		

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Nav-Tech Inc. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Nav-Tech Inc. IS PROHIBITED.



155 MARCUS BLVD
 HAUPPAUGE, NEW YORK 11788
 PH: (718) 257-2111 FAX: (718) 257-2626

UNLESS OTHERWISE SPECIFIED:
 ALL DIMENSIONS ARE NOMINAL UNLESS EXPLICITLY STATED OTHERWISE

MAT'L:	N/A
FINISH:	N/A
WEIGHT:	N/A

UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND BREAK ALL SHARP EDGES .015 X 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING
3. $\frac{125}{\checkmark}$ MACHINED SURFACES EXCEPT AS NOTED

DRAWING TITLE: 298 CT PADMOUNTED NEMA 3R CABINET

PART #: NAV-298CT-1200-N3R

DESCRIPTION:
 298 CT CABINET PAD MOUNTED NEMA 3R 1200 AMP POWDER COATED GALV STEEL CONSTRUCTION SILVER PLATED COPPER BUS BARS

DO NOT SCALE DRAWING	SCALE 1:10	SIZE A	SHEET 1 OF 1	REV. 2
-----------------------------	------------	--------	--------------	--------

A

A